

CHOICE LED LIGHTING

HEAD OFFICE
CHOICE CHEMTECH B 30 SECTOR 63 NOIDA -201301 ,
UTTAR PRADESH , INDIA

WWW.CHOICEGROUP.CO.IN



CHOICE LED LIGHTING SOLUTIONS

— EXTENSIVE RANGE OF MORE THAN 200 PRODUCTS —



Spot Cut-off
Spotting Light



Round Flush
Downlight
Recess Design



Auto-downlight
Diffused ceiling light



Decor Down lamp
Recess Design



Shot Golf Ball Sparkling Light



Sparkle Swivel Sleek Design


WELCOME TO A RANGE OF 200+ LED PRODUCTS. WELCOME TO CHOICE




Downlighter Diffused Soothing Light

THESE ARE THE DIMENSIONS TO THE CUTOUTS FOR THEIR RESPECTIVE LIGHTS


SLIM PANEL ROUND



SLIM PANEL SQUARE



DOWNLIGHTER



SLIM ROUND




SLIM SQUARE




THESE ARE THE DIMENSIONS TO
THE CUTOUTS FOR THEIR RESPECTIVE LIGHTS


SPOT BUTTON




SPOT KOLOR




DOWNLIGHTER




SPOTLIGHT




SLIM ROUND



SLIM SQUARE



COB DOWNLIGHTER



ABOUT
CHOICE LED

CHOICE LIGHTING is a forward looking LED lighting solution provider with the vision of being one of the top three organizations in this sector by 2020. We strive to understand the needs of our customers and offer solutions that are best in class, consumer centric and delightful. The name CHOICE encases the vision of the company to "TRANSFORM SPACES." CHOICE is unique in the Lighting Industry to enter the market with the help of three solid foundation pillars:

Manufacturing at its state-of-the-art facility at Haridwar, U.K., where every single product is crafted carefully under the supervision and scrutiny of our technicians. Thus ensuring, that our products offer the best quality services at the most reasonable of prices.

Marketing that focuses on enhancing the consumer's experience with a wide range, thoughtful product design and prompt service. **Monitoring** through a world-class Laboratory and Design Centre which help us deliver consistent and continuous performance. Thus, making the CHOICE Experience more than about Products & Services - it is about "PERFORMANCE THAT DELIGHTS!"

Make CHOICE your choice

ABOUT
OUR RANGE

Each product in the CHOICE LED range has been carefully crafted and designed to cater to your every need. With easy to fit products that come in varied shapes and sizes, each product seamlessly finds its place in your home.




THE RIGHT CHOICE

The CHOICE range of products are built to deliver performance that will delight you always. With meticulous design processes, state-of-the-art manufacturing technologies and extensive quality monitoring regimes in our world-class lab.

The Birth of CHOICE

All of our products are conceived at our design lab in Noida, where each and every parameter is meticulously designed and selected. Our R&D engineers select LEDs that deliver high lumens and colour accuracies from specific lots or "bins." They are then assembled inside specially designed housings which help in proper heat dissipation. The electronic driver is designed to withstand the harsh Indian electrical voltage variations. Finally, each product is tested on our in-house Goniophotometer to ensure the right light output making it truly worthy of your beautiful home.



CHOICE products use LEDs from only selected LED Bins to deliver high-efficiency products as LED components vary from each other in terms of rendition of colour, forward voltage and flux even within the same production batch.

Installed in a big dark room, our MIRROR GONEO PHOTO METER tests and records data on the luminous intensity distribution curve, effective angle and beam angle, total Luminous flux, light efficiency, utilization factor, current, voltage, power and power factor amongst other parameters. This data helps us provide you with the optimum lighting solutions.



TILE



POWER	CCT	LUMEN	LIGHT DESIGN
36W	3000K	2700	EDGE LIT
36W	4000K	2800	EDGE LIT
36W	6500K	2880	EDGE LIT
36W	3000K	2480	BACK LIT
36W	4000K	2520	BACK LIT
36W	6500K	2700	BACK LIT

PF > 0.9

HOUSING: DIE CAST ALUMINIUM

STREET LIGHT



POWER	CCT	LUMEN	IP
20W	5700K	2000	65
30W	5700K	3000	65
45W	5700K	4500	65

PF > 0.9
SURGE: 5KV (20W-4KV)

HOUSING: PDC ALUMINIUM

FLOOD LIGHT



POWER	CCT	LUMEN	IP
10W	6500K	850	65
30W	6500K	2550	65
50W	6500K	4250	65

CRI: 80

HOUSING: DIE CAST ALUMINIUM

FLOOD LIGHT



POWER	CCT	LUMEN	IP
80W	6500K	8000	65
80W	3000K	7600	65
100W	6500K	10000	65
100W	3000K	9200	65
150W	6500K	15000	65
150W	3000K	14500	65
200W	6500K	20000	65
200W	3000K	18200	65

PF > 0.9
SURGE: 5KV

HOUSING: PDC ALUMINIUM

FOR COMMERCIAL AND INDUSTRIAL PURPOSES

TUBE



POWER	CCT	LUMEN	PF
17.5W	6500K	1950	>0.9
17.5W	3000K	1750	>0.9

HOUSING: ALUMINIUM
SURGE PROTECTION : UPTO 3KV
CRI : 80

PAR



POWER	CCT	LUMEN	CAP
8W	2700K	640	E27
12W	2700K	1030	E27
15W	2700K	1200	E27

CRI: 80
BEAM ANGLE: 36°
PF > 0.9

COB DOWNLIGHTER



Applications

- Living Room ● Dress Room

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
10W	6500K	800	Ø95mm	15W	3000K	1200	Ø130mm
10W	4000K	800	Ø95mm	20W	6500K	1600	Ø160mm
10W	3000K	800	Ø95mm	20W	4000K	1600	Ø160mm
15W	6500K	1200	Ø130mm	20W	3000K	1600	Ø160mm
15W	4000K	1200	Ø130mm				

CRI: 75
HOUSING: DIE CAST ALUMINIUM
PF > 0.9

DOWNLIGHT



Applications

- Living Room ● Balcony ● Dress Room ● Gallery

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
6W	6500K	450	Ø85mm	12W	3000K	850	Ø100mm
6W	4000K	450	Ø85mm	24W	6500K	1950	Ø145mm
6W	3000K	450	Ø85mm	24W	4000K	1950	Ø145mm
12W	6500K	850	Ø100mm	24W	3000K	1950	Ø145mm
12W	4000K	850	Ø100mm				

PF > 0.9
HOUSING: DIE CAST ALUMINIUM

CHOICE of Millions CHOICE LIGHTING is one of the very few companies to enter the lighting sector with its own state-of-the-art manufacturing unit.

At our manufacturing unit, an automated SMT section prepares all of the LED units and electronic drivers. Then, semi-automated assembly lines in our plant produce high quality bulbs, battens, tubes, street lights, panels and down-lights. To provide a sense of consistency across all of our products, we incorporate strict manufacturing disciplines into all our production processes; thus leading to fewer mistakes and variations. Moreover, this helps us in delivering high quality products with optimum input costs. Our products are not just best-in-class, they are part of the national initiative to foster innovation and skill development and MAKE IN INDIA.

An automated printer first applies glue on pre-designated locations of a PCB, which then passes through an automated line onto a Pick and Place Machine which places the LED packets along with other components on the board. The PCB then passes through a Re-Flow Oven, where it is baked to form the desired PCB for a given product.



Ensuring

Our Quality Management System ensures rigorous performance tests using various NABL-worthy testing equipment and gives us the confidence to provide a 2 year replacement guarantee across our portfolio. Each one of our products goes through an ageing test where they are subjected to extreme voltage, high temperature, frequent switching on and off before they are packed for the market.



We also conduct extensive checks including colour analysis sphere test, Spectro radiometer integrating sphere test, IP chamber tests and other electrical and mechanical tests such as the Vibration test, Salt test and Drop test.

Additionally, we also perform Accelerated Life Ageing Lines for ensuring high light output throughout the life of the product.

CHOICE PROMISES



PRE-TESTED LUMEN

All of the products are pre-tested for durability and lumen tests at our plant before being sent out.



FREE REPLACEMENT AT SITE*

All and any replacement is free of charge and will be executed by our engineer right at the site itself.



2 YEARS REPLACEMENT GUARANTEE

All of the products come with a 2 year replacement guarantee, be it for the slightest of nuances in the same.



LIGHTING CONSULTANCY

Our customers can speak directly with our lighting consultants regarding any product related query and also seek guidance about the 'where, why and what' to fit at your site.



LUMEN WARRANTY

Be there a considerable change in the luminosity of any of our products, our engineer will personally come over to the site and replace the same; completely free of charge.

YOUR CHOICE AT HOME.

A perfect combination of lighting and décor can do wonders to your home. And we at CHOICE help you live this truth. From transforming your dining space into a fine dining experience, to setting just the right mood in your living room, each of our solutions have something unique to say. Our range offers various lighting outputs and has varied light distributions and colour appearances. For every nook and corner of your home we have a CHOICE LED lighting solution to complement it.

So whilst you entertain guests in your living room, bring alive your prized possessions with our spot lights. On the other hand let your kids enjoy life in their bright rooms under the brilliance of our lighting fixtures.

BUTTON



Applications

● Living Room ● Bedroom ● Dress Room

POWER	CCT	LUMEN	CUT OUT
3W	3000K	230	Ø38mm
3W	6500K	230	Ø38mm

AVAILABLE IN ROUND AND SQUARE

BUTTON



Applications

● Living Room ● Dress Room ● Gallery

POWER	CCT	BEAM ANGLE	CUTOUT
2W	3000K	36°	Ø32mm
2W	6500K	36°	Ø32mm
2W	RED	36°	Ø32mm
2W	BLUE	36°	Ø32mm
2W	GREEN	36°	Ø32mm

AVAILABLE IN ROUND AND SQUARE

CEILING LIGHT



Applications

● Bathroom ● Kitchen ● Balcony

POWER	CCT	LUMEN	PF
15W	3000K	1350	>0.9
15W	6500K	1380	>0.9

CRI: 80

IP: 44

BULK HEAD



Applications

● Roof ● Garden

POWER	CCT	LUMEN	PF
12W	3000K	1050	>0.9
12W	6500K	1100	>0.9

CRI: 80

IP: 65

DOWNLIGHT
SLIM SQUARE



Applications
● Living Room ● Dress Room ● Gallery

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
6W	6500K	600	105x105mm	18W	6500K	1800	155x155mm
6W	4000K	540	105x105mm	18W	4000K	1620	155x155mm
6W	3000K	540	105x105mm	18W	3000K	1620	155x155mm
12W	6500K	1200	130x130mm	24W	6500K	2400	175x175mm
12W	4000K	1080	130x130mm	24W	4000K	2160	175x175mm
12W	3000K	1080	130x130mm	24W	3000K	2160	175x175mm

CRI: 80 PF>0.9

DOWNLIGHT
SLIM ROUND



Applications
● Living Room ● Dress Room ● Gallery

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
6W	6500K	600	Ø105mm	18W	6500K	1800	Ø155mm
6W	4000K	540	Ø105mm	18W	4000K	1620	Ø155mm
6W	3000K	540	Ø105mm	18W	3000K	1620	Ø155mm
12W	6500K	1200	Ø130mm	24W	6500K	2400	Ø175mm
12W	4000K	1080	Ø130mm	24W	4000K	2160	Ø175mm
12W	3000K	1080	Ø130mm	24W	3000K	2160	Ø175mm

CRI: 80 PF>0.9

DOWNLIGHT



Applications
● Living Room ● Balcony ● Dress Room ● Gallery

POWER	CCT	LUMEN	CUT OUT
3W	6500K	220	Ø76mm
3W	3000K	200	Ø76mm
5W	6500K	375	Ø76mm
5W	3000K	320	Ø76mm
7W	6500K	550	Ø95mm
7W	3000K	500	Ø95mm
9W	6500K	720	Ø115mm
9W	3000K	690	Ø115mm

CRI: 80 HOUSING: DIE CAST ALUMINIUM

LED SOFT STRIP



Applications
● Living Room ● Bedroom

POWER	COLOUR	IP	CHIP	POWER	COLOUR	IP	CHIP
5W	3000K	IP 20	3528	15W	3000K	IP 20	5050
5W	6500K	IP 20	3528	15W	4000K	IP 20	5050
5W	RED	IP 20	3528	15W	6500K	IP 20	5050
5W	BLUE	IP 20	3528	7W	RGB	IP 20	5050
5W	GREEN	IP 20	3528				

LENGTH: 5M IP: 20

BRING CHOICE TO YOUR HOME



THINGS TO CONSIDER WHILE BUYING LED

IP

IP or Ingress protection classifies and rates the degree of protection of a product against dust, water and hazardous objects such as electrical conductors, moving parts etc. Some of the important IP ratings are listed below:

IP RATING	SUITABLE FOR	PROTECTION FROM SOLIDS	PROTECTION AGAINST LIQUIDS
IP44	Balconies, kitchens, staircases etc.	Protected against solid objects over 1 mm (tools, wires, small wires), large ants etc.	Water splashing against the enclosure from any direction shall have no harmful effect.
IP65	Gardens, streets, landscapes etc.	Protected against dust.	Protected against low pressure jets of water from all directions.

CCT



The ambience of your home also depends a lot on the CCT, or in simple words, the colour of light emitted from your LED lighting fixture. Warm lights have a yellow hue to themselves, which make them ideal for ambient lighting in living rooms and bedrooms. Cool lights on the contrary are used for task-specific lighting purposes, such as in reading areas or offices.




CRI

CRI defines the quality of light emitted from an LED fixture. Higher CRI units bring out the real colours in objects within the beam range and make them starkly visible; just as they would usually look under natural light.

BEAM ANGLE

It is the angle at which light is emitted from an LED lighting fixture. A sharp beam angle light is used to focus on special areas or specific objects like paintings, artefacts etc. Whereas a wide beam angle light is used to illuminate general areas such as hallways, living rooms etc.



LED BULB



Applications

● Living Room ● Bedroom

POWER	CCT	LUMEN	PF	POWER	CCT	LUMEN	PF
5W	6500K	500	>0.9	9W	3000K	810	>0.9
5W	3000K	450	>0.9	12W	6500K	1200	>0.9
7W	6500K	700	>0.9	12W	3000K	1080	>0.9
7W	3000K	630	>0.9	14W	6500K	1400	>0.9
9W	6500K	900	>0.9	14W	3000K	1260	>0.9

CRI: 80 BEAM ANGLE: 180°
RATED VOLTAGE: 220-240V SURGE PROTECTION: UPTO 2.5KV

LED BULB



Applications

● Living Room ● Bedroom

POWER	CCT	LUMEN	PF
6W	6500K	600	>0.9
6W	3000K	540	>0.9
8W	6500K	800	>0.9
8W	3000K	720	>0.9
10W	6500K	1100	>0.9
10W	3000K	1000	>0.9

CRI: 80 BEAM ANGLE: 240°
RATED VOLTAGE: 220-240V SURGE PROTECTION: UPTO 2.5KV
AVAILABLE IN B22 & E27 BASE CAPS

SLIM PANEL ROUND



Applications

● Living Room ● Bedroom

POWER	CCT	LUMEN	CUT OUT	POWER	CCT	LUMEN	CUT OUT
3W	6500K	230	72mm	15W	6500K	1250	160mm
3W	4000K	220	72mm	15W	4000K	1220	160mm
3W	3000K	200	72mm	15W	3000K	1200	160mm
6W	6500K	480	110mm	18W	6500K	1600	210mm
6W	4000K	460	110mm	18W	4000K	1550	210mm
6W	3000K	440	110mm	18W	3000K	1500	210mm
12W	6500K	960	160mm	24W	6500K	2150	285mm
12W	4000K	940	160mm	24W	4000K	2130	285mm
12W	3000K	920	160mm	24W	3000K	2100	285mm

CRI: 80 PF> 0.9 (EXCEPT 3W)

SPOT SWIVEL



Applications

● Living Room ● Dress Room

POWER	CCT	LUMEN	CUT OUT
3W	3000K	200	Ø60mm
3W	4000K	225	Ø60mm
6W	3000K	425	Ø75mm
6W	4000K	450	Ø75mm
9W	3000K	700	Ø85mm
9W	4000K	725	Ø85mm

CRI: 80 BEAM ANGLE: 36° PF> 0.9 HOUSING: DIE CAST ALUMINIUM

DECO LAMP SPECTRUM



Applications

● Living Room ● Bedroom

POWER	CCT	CAP	BEAM ANGLE
0.5W	RED	B22	180°
0.5W	BLUE	B22	180°
0.5W	GREEN	B22	180°
0.5W	YELLOW	B22	180°
0.5W	WHITE	B22	180°

GOLF BALL SHOT



Applications

● Living Room ● Bedroom

POWER	DIFFUSER	BEAM ANGLE	CAP
5W	CLEAR	300°	E14
5W	CLEAR	260°	E27
5W	FROSTED	300°	E14

CRI: 80 CCT: 2700K
RATED VOLTAGE: 220-240V LUMEN: 400LM

SPOT SWIVEL SLIM ROUND



Applications

● Living Room ● Dress Room

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
3W	3000K	210	Ø55mm	9W	3000K	720	Ø75mm
3W	6500K	225	Ø55mm	9W	6500K	765	Ø75mm
6W	3000K	480	Ø65mm	15W	3000K	1200	Ø90mm
6W	6500K	515	Ø65mm	15W	6500K	1275	Ø90mm

CRI: 80 Beam Angle: 36° (Except 3W - 24°)

SPOT SWIVEL SLIM SQUARE



Applications

● Living Room ● Dress Room

POWER	CCT	LUMEN	CUTOUT	POWER	CCT	LUMEN	CUTOUT
3W	3000K	210	55x55mm	9W	3000K	720	75x75mm
3W	6500K	225	55x55mm	9W	6500K	765	75x75mm
6W	3000K	480	65x65mm	15W	3000K	1200	90x90mm
6W	6500K	515	65x65mm	15W	6500K	1275	90x90mm

CRI: 80 Beam Angle: 36° (Except 3W - 24°)

TUBE + BATTEN



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	SIZE*
9W	6500K	720	2ft
18W	6500K	1550	4ft

TUBE HOUSING: GLASS
PF: 0.9

BATTEN: ALUMINIUM

SURFACE PANEL SQUARE



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF	POWER	CCT	LUMEN	PF
6W	6500K	480	0.9	18W	6500K	1600	0.9
6W	4000K	460	0.9	18W	4000K	1550	0.9
6W	3000K	440	0.9	18W	3000K	1500	0.9
12W	6500K	960	0.9	24W	6500K	2150	0.9
12W	4000K	940	0.9	24W	4000K	2130	0.9
12W	3000K	920	0.9	24W	3000K	2100	0.9

CRI: 80

HOUSING: DIE CAST ALUMINIUM

CANDLE LAMP



Applications

- Living Room
- Bedroom

POWER	DIFFUSER	LUMEN	CRI
5W	CLEAR	380	80
5W	FROSTED	400	80

CRI: 80
CAP: E14

CCT: 2700K
BEAM ANGLE: 300°

DOME LAMP



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	SIZE
12W	3000K	1020	P95
12W	6500K	1050	P95
15W	3000K	1250	P120
15W	6500K	1300	P120

CRI: 80
RATED VOLTAGE: 220-240V

BEAM ANGLE: 300°
PF > 0.9

SURFACE PANEL ROUND



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF	POWER	CCT	LUMEN	PF
6W	6500K	480	0.9	18W	6500K	1600	0.9
6W	4000K	460	0.9	18W	4000K	1550	0.9
6W	3000K	440	0.9	18W	3000K	1500	0.9
12W	6500K	960	0.9	24W	6500K	2150	0.9
12W	4000K	940	0.9	24W	4000K	2130	0.9
12W	3000K	920	0.9	24W	3000K	2100	0.9

CRI: 80

HOUSING: DIE CAST ALUMINIUM

SLIM PANEL SQUARE



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	CUT OUT	POWER	CCT	LUMEN	CUT OUT
3W	6500K	230	72x72mm	15W	6500K	1250	160x160mm
3W	4000K	220	72x72mm	15W	4000K	1220	160x160mm
3W	3000K	200	72x72mm	15W	3000K	1200	160x160mm
6W	6500K	480	110x110mm	18W	6500K	1600	210x210mm
6W	4000K	460	110x110mm	18W	4000K	1550	210x210mm
6W	3000K	440	110x110mm	18W	3000K	1500	210x210mm
12W	6500K	960	160x160mm	24W	6500K	2150	285x285mm
12W	4000K	940	160x160mm	24W	4000K	2130	285x285mm
12W	3000K	920	160x160mm	24W	3000K	2100	285x285mm

CRI: 80

PF > 0.9 (EXCEPT 3W)

LED TUBE



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF
9W	6500K	900	0.9
9W	3000K	850	0.9
20W	6500K	2000	0.9
20W	3000K	1950	0.9

CRI: 80

HOUSING: ALUMINIUM

LED TUBE



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF
9W	6500K	800	0.9
9W	3000K	750	0.9
18W	6500K	1450	0.9
18W	3000K	1400	0.9

HOUSING: ALUMINIUM

RATED VOLTAGE: 220-240V

* Approximate Size

10

07

BATTEN

10W



Applications

- Dress Room
- Gallery

POWER	CCT	LUMEN	SIZE*
10W	6500K	1000	1ft
10W	3000K	950	1ft

CRI: 80

HOUSING: ALUMINIUM

BATTEN

18W



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF
9W	6500K	855	>0.9
9W	3000K	800	>0.9
18W	6500K	1800	>0.9
18W	3000K	1700	>0.9

CRI: 80

HOUSING: ALUMINIUM

EDGE TO EDGE CONNECTION FOR COVE LIGHTING

BATTEN



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	SIZE*
9W	6500K	855	2 ft
9W	3000K	800	2 ft
18W	6500K	1800	4 ft
18W	3000K	1700	4 ft
22W	6500K	2420	4 ft
22W	3000K	2200	4 ft

CRI:80
PF> 0.9

HOUSING: ALUMINIUM

BATTEN

T8



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	HOUSING
18W	6500K	1800	PC
18W	3000K	1700	PC
18W	6500K	1800	ALUMINIUM
18W	3000K	1700	ALUMINIUM

CRI:80

PF> 0.9

BATTEN

28W



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	SIZE*
20W	6500K	2000	3 ft
20W	3000K	1950	3 ft
28W	6500K	2800	4 ft
28W	3000K	2650	4 ft

CRI: 80
PF>0.9

HOUSING: ALUMINIUM

BATTEN

36W



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF
36W	6500K	3600	>0.9
36W	3000K	3400	>0.9

CRI: 80

HOUSING: ALUMINIUM

BATTEN
SPECTRA LINE



Applications

- Living Room
- Bedroom

Available With 4 End Cap Colour Options

POWER	CCT	LUMEN	SIZE*
8W	6500K	720	1ft
8W	3000K	640	1ft
12W	6500K	1080	2ft
12W	3000K	960	2ft
18W	6500K	1800	4ft
18W	3000K	1620	4ft

HOUSING: ALUMINIUM

CRI: 80

BATTEN
ECO LINE PC



Applications

- Living Room
- Bedroom

POWER	CCT	LUMEN	PF
9W	6500K	720	0.9
9W	3000K	650	0.9
18W	6500K	1620	0.9
18W	3000K	1440	0.9

CRI >70

HOUSING: PC

* Approximate Size

* Approximate Size